




Flashings and Trims

Flashings and trims come in 10 ft. lengths and are available in plain galvanized, galvalume and in galvanized pre-painted steel in over 30 attractive colours. Standard gauge thickness used is 30 ga. (.015") but our flashings and trims shown in this brochure are standard but can be modified to customer specifications.

ROOFING FLASHINGS


NOTE: USE THE #205 WALL FLASHING AND THE #210 COTTAGE ROOF CAP FOR THE "SECURITY" RIB, "POCKET" RIB, "AMERI-CANA" PANEL AND "FUNDY" PANEL.

#201




STEP FLASHING (6" X 9")
(50 PCS PER BUNDLE) (MIXED COLOURS)

#203




LARGE WALL OR CHIMNEY FLASHING TYPE S
(12" GIRTH) * SPECIFY PITCH

#205




WALL FLASHING TYPE S
(9" GIRTH) * SPECIFY PITCH

#206




RIDGE VENT

#207




VALLEY 18", 24" AND 36"

#208




CAP FLASHING
(A + B + C + 3/4" = GIRTH)

#209




GRAVEL STOP
(A + B + 3/8" = GIRTH)

#210




COTTAGE ROOF CAP
(18" GIRTH)

#211




SNOW GUARD
(12" GIRTH) MINIMUM 26g (.021") RECOMMENDED

#212




ICE APRON
(for shingles)
(36" GIRTH)

#213 TYPE 1




GABLE END CAP FOR "HERITAGE" PROFILE
(A+B+5 3/4" = GIRTH)

#213 TYPE 2



GABLE END CAP FOR "HERITAGE" PROFILE
(A+B+6" = GIRTH)



#214



LIBERTY RIDGE CAP
(15" GIRTH)

FLASHINGS AND MOULDINGS FOR SIDING

NOTE: THE "300 SERIES" FLASHINGS & MOULDINGS MAY BE USED WITH THE FOLLOWING PROFILES.




#301

X=Profile opening

PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "




"J" TRIM
(5" GIRTH)

#302

X=Profile opening


PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "



BASE FLASHING
(4" GIRTH)

#303




WINDOW & DOOR FLASHING
(6" GIRTH)

#304

X=Profile opening

PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "




OUTSIDE CORNER
(12" GIRTH)

#305

X=Profile opening


PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "



INSIDE CORNER
(12" GIRTH)

#306




HALF CORNER
(9" GIRTH)

#307

X=Profile opening


PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "




GABLE DIVIDER
(4" GIRTH)

#308




"L" TRIM
(4" GIRTH)

#309



WINDOW CASING FLASHING
(A + B + 3/8" GIRTH)

#310




BRICK FLASHING
(9" GIRTH)

#311

X=Profile opening


PROFILES:

- (a) Laurentian $\frac{5}{8}$ "
- (b) Corrugated 1 "
- (c) Security $\frac{5}{8}$ "
- (d) Ameri-Cana, Canadiana and Fundy $\frac{7}{8}$ "



WINDOW & DOOR JAMB
(2X + A + 3 5/8" = GIRTH)


#312



WINDOW & DOOR FLASHING
(5" + A = GIRTH)


FLASHINGS AND MOULDINGS FOR SIDING (continue)

#313




SLIDING DOOR EDGE TRIM
(A + B + 3/4" GIRTH)

#314




COVER FOR DOUBLE ROUND DOOR TRACK
(18" GIRTH)

#315



COVER FOR SINGLE ROUND DOOR TRACK
(12" GIRTH)

#316




ANGLED BASE FLASHING
(6" GIRTH)

#317

X=Profile opening
Y=Profile opening


PROFILES:

- (a) Laurentian 5/8" X 1"
- (b) Corrugated 5/8" X 1"
- (c) Security 5/8" X 7/8"
- (d) Ameri-Cana, Canadiana and Fundy 5/8" X 7/8"



"F-J" TRIM
(X + Y + 6" = GIRTH)

#318




WINDOW & DOOR FLASHING
(6" GIRTH)

FLASHINGS FOR EAVES & GABLE ENDS

#401


VENTED AT EXTRA COST



FASCIA AND SOFFIT: TYPE 1
(A+B+5" = GIRTH) * SPECIFY PITCH

#402


VENTED AT EXTRA COST



FASCIA AND SOFFIT: TYPE 1J
(A+B+5" = GIRTH) * SPECIFY PITCH


#404

VENTED AT EXTRA COST



SINGLE SOFFIT:
TYPE 1J
(A+3" = GIRTH)


#408



STARTER
FOR SHINGLES
(5" GIRTH)

#405


VENTED AT EXTRA COST



FASCIA AND SOFFIT: TYPE 2
(A+B+4" = GIRTH) * SPECIFY PITCH


#406

VENTED AT EXTRA COST




FASCIA AND SOFFIT: TYPE 2J
(A+B+5" = GIRTH) * SPECIFY PITCH

#409




FASCIA: TYPE 1
(9" GIRTH)

#410




FASCIA: TYPE 2
(9" GIRTH)

#411




RAKE EDGE TRIM
(12" GIRTH) (10 or 14 ft. LENGTHS) *

#412



SPECIAL FASCIA
(A+B+3" = GIRTH) (B=MIN. 1 1/2") * SPECIFY PITCH


#414



STEEL ROOFING DRIP EDGE
(6" GIRTH) * SPECIFY PITCH


FLASHINGS FOR EAVES & GABLE ENDS (continue)

#415




"F" GABLE TRIM
(12" GIRTH) (AVAILABLE IN 30G, 28G or 26G)

#416




GABLE END CAP
(9" GIRTH)

#417




GUTTER APRON
(6" GIRTH) * SPECIFY PITCH

"COLONIAL SIDING"




#501




COLONIAL "J" TRIM
(4" GIRTH)

#502




COLONIAL BASE FLASHING
(4" GIRTH)

#503




COLONIAL GABLE DIVIDER
(4" GIRTH)

#504




COLONIAL OUTSIDE CORNER
(9" GIRTH)

#505




COLONIAL INSIDE CORNER
(9" GIRTH)

#518




COLONIAL WINDOW & DOOR FLASHING
(6" GIRTH)

"COMMERCIAL RIB"




#601




COMMERCIAL "J" TRIM
(5" GIRTH)

#602




COMMERCIAL BASE FLASHING
(4" GIRTH)

"R-PANEL"




#R601




"J" TRIM
(6" GIRTH)

#R602




BASE FLASHING
(5" GIRTH)

#603




COMMERCIAL GABLE DIVIDER
(5" GIRTH)

#604




COMMERCIAL OUTSIDE CORNER
(14" GIRTH)

#R603




GABLE DIVIDER
(6" GIRTH)

#R604




OUTSIDE CORNER
(18" GIRTH)

#605




COMMERCIAL INSIDE CORNER
(14" GIRTH)

#610




COTTAGE ROOF CAP FOR COMMERCIAL RIB PROFILE
(24" GIRTH)

#R605



INSIDE CORNER
(18" GIRTH)


#R610




COTTAGE ROOF CAP
(24" GIRTH)

INDUSTRIAL PROFILES (100 SERIES)

NOTE:
THE "100 SERIES"
FLASHINGS & TRIMS MAY
BE USED WITH THE
FOLLOWING PROFILES.




#101




INDUSTRIAL
OUTSIDE CORNER
(18" GIRTH)

#102




INDUSTRIAL
OUTSIDE CORNER
(18" GIRTH)

#103




INDUSTRIAL
INSIDE CORNER
(18" GIRTH)

#104




INDUSTRIAL
INSIDE CORNER
(6" GIRTH)

#105




INDUSTRIAL
WINDOW & DOOR FLASHING
(7" GIRTH)

#106




INDUSTRIAL
WINDOW & DOOR FLASHING
(A + 7" = GIRTH)

#107




INDUSTRIAL "J" TRIM
(7" GIRTH)

#108




INDUSTRIAL BASE FLASHING
(5" GIRTH)

#109




INDUSTRIAL GABLE DIVIDER
(6" GIRTH)

#110



COTTAGE ROOF CAP
FOR INDUSTRIAL PROFILE
(24" GIRTH)







#111















INDUSTRIAL DOOR & WINDOW JAMB
(A + 7.7/2" = GIRTH)

"URBAN ACCENT" SERIES

NOTE: MOST OF THE "100 SERIES" INDUSTRIAL FLASHINGS & TRIMS MAY BE USED WITH THE **URBAN ACCENT** SERIES.



"HERITAGE SERIES" & "JUNIOR HF"




"MONTECIANO" STEEL TILE



<p>#901</p> <p>"J" CLOSURE (10" GIRTH, 24G, GALVANIZED)</p>	<p>#902</p> <p>"L" BAR (6" GIRTH, 28G, GALVANIZED)</p>	<p>#909</p> <p>VALLEY CAP (12" GIRTH, 29G)</p> <p>* SPECIFY PITCH</p>	<p>#914</p> <p>RIDGE CAP BASE (12" GIRTH, 29G)</p> <p>* SPECIFY PITCH</p>
--	---	--	--

"GALANTA" SIDING



<p>#G01</p> <p>"J" TRIM (4" GIRTH, 26g)</p>	<p>#G02</p> <p>BASE FLASHING (4" GIRTH, 26g)</p>	<p>#G03</p> <p>STAR TER (4" GIRTH, 26g, GALVANIZED)</p>	<p>#G04</p> <p>OUTSIDE CORNER (8 1/8" GIRTH, 26g)</p>
<p>#G05</p> <p>INSIDE CORNER (8 1/8" GIRTH, 26g)</p>	<p>#G07</p> <p>GABLE DIVIDER (4" GIRTH, 26g)</p>	<p>#G08</p> <p>PERFORATED "L" CLOSURE (4" GIRTH) (TRIM TO 2")</p>	<p>#G09</p> <p>"Z" SUPPORT (4" GIRTH, 26g, GALVANIZED) (TRIM TO 3")</p>
<p>#G11</p> <p>WINDOW & DOOR JAMB (4 1/4" + A = GIRTH (8 1/8" max.), 26g)</p>	<p>#G12</p> <p>NOTE: A = 4 7/8" max.</p> <p>WINDOW & DOOR FLASHING (4" + A = GIRTH (8 1/8" max.), 26g)</p>	<p>#G17</p> <p>SIDING / SOFFIT "F-J" TRIM (8 1/8" GIRTH, 26g)</p>	<p>#G18</p> <p>WINDOW & DOOR FLASHING (4" GIRTH, 26g)</p>
<p>#G19A</p> <p>VERTICAL DIVIDER (Part "A") (5" GIRTH, 26g)</p>	<p>#G19B</p> <p>VERTICAL DIVIDER (Part "B") (4" GIRTH, 26g) (TRIM TO 3")</p>	<p>VERTICAL DIVIDER (Parts "A" & "B" assembled)</p>	

<p>HEAVY GAUGE FIXATION</p>	<p>"U" CHANNEL AVAILABLE IN 20 GA, 18 GA AND 16 GA. GIRTHS AVAILABLE: 4", 5", 6", 7", 8", 9", 12", 18", 24" (GIRTH = A + B + C) NOTE: Measurements subject to machine capacities</p>
	<p>"Z" BAR AVAILABLE IN 20 GA, 18 GA AND 16 GA. GIRTHS AVAILABLE: 4", 5", 6", 7", 8", 9", 12", 18", 24" (GIRTH = A + B + C) A: min. 1" B: min. 1" C: min. 1"</p>
	<p>"OMEGA" BAR AVAILABLE IN 20 GA, 18 GA AND 16 GA. GIRTHS AVAILABLE: 4", 5", 6", 7", 8", 9", 12", 18", 24" GIRTH = (A x 2) + (B x 2) + C A: min. 1" B: min. 1" (H): Perpendicular height NOTE: B = (H) x 1.155</p>